

ELINOR

PURE SURFACE PERFECTION

ACRYLIC SURFACES
EDITION - 2025



ROYAL ROOTS™
PLY INDIA PVT LTD

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.

ABOUT US



by **HOMIFY ROOTS™**
PANALS WITH ITALIAN FLAIR.

Lamiq was founded on the principles of innovation, quality, and design excellence. Our team of experts brings decades of experience in the decorative surfaces industry, ensuring unparalleled expertise and knowledge.

At Lamiq, we're driven by a passion for transforming spaces into breathtaking environments. Our journey begins with Elinor, our inaugural sub-brand, showcasing exquisite acrylic laminates that redefine surface design.

Elinor represents our dedication to precision, style, and functionality. Our acrylic laminates embody the perfect blend of artistry and technology, offering:

- Unmatched visual appeal
- Exceptional durability
- Effortless maintenance



ULTRA
GLOSS



ANTI
SCRATCH



ANTI
YELLOW




PURE
ACRYLIC




ANTI
FINGER



WATER
RESISTANT





Applications :



INTERIOR



BATHROOM



RESIDENTIAL



COMMERCIAL



HEALTHCARE



URBAN CENTERS



HOSPITALITY

Features :



DURABILITY & STRENGTH



TERMITE & BORER FREE



LIGHT WEIGHT



1.5mm THICKNESS



WATER & STAIN PROOF



IDEAL FOR VERTICAL
APPLICATION

Ultra SOLID[✦]

HOMIFY ROOTSTM
PANALS WITH ITALIAN FLAIR.




LA 8001

Elegance and Durability,
Seamlessly United

Ultra SOLID[✦]




ELINOR
PURE SURFACE PERFECTION



LA 8002


**Building
Beauty**
one layer at a time



LA 8003

Ultra SOLID[✦]

HOMIFY ROOTSTM
PANALS WITH ITALIAN FLAIR.



LA 8004

Reflecting Elegance
in Every Detail

Ultra SOLID[✦]



ELINOR
PURE SURFACE PERFECTION

**EMBRACE
LUXURY**
IN EVERY SPACE




LA 8018



LA 8006

Ultra SOLID[✦]

HOMIFY ROOTSTM
PANALS WITH ITALIAN FLAIR.



LA 8008

**Sculpting
Grace**

Purpose Shaping style




LA 8005

Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



ENRICH
YOUR SPACES
WITH BOLD BEAUTY



LA 8010



LA 8007

Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8014



LA 8015


Ultra SOLID[✦]



ELINOR
PURE SURFACE PERFECTION

Elevate Surfaces


with Artful Sophistication



LA 8019



LA 8012



Ultra SOLID[✦]



ELINOR
PURE SURFACE PERFECTION



LA 8013

Signature
Style

Exceptional Quality



LA 8028

Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8017

**Curated
Creations**
for the Discerning Eye




LA 8031

Ultra **SOLID** ✨



ELINOR
PURE SURFACE PERFECTION

**INSPIRE
YOUR SPACES**
WITH REFINED LUXURY



LA 8029





LA 8030



Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8016




LA 8024

**Crafting
Sophistication**
for Everyday Living

Ultra **SOLID** ✨



LA 8011




LA 8026

Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.




LA 8021




LA 8022



Ultra **SOLID** ✨



LA 8023



LA 8020


Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8025

**Embrace Every
Surfaces with Style**



LA 8027

Ultra **SOLID** ✨



ELINOR
PURE SURFACE PERFECTION




LA 8042


**Crafting Surfaces
That Inspire Confidence**

Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8043




LA 8045



Ultra **SOLID** ✨




ELINOR
PURE SURFACE PERFECTION



LA 8044

Enrich Your
Home With
Elegant Details



LA 8039


Ultra **SOLID** ✨




ELINOR
PURE SURFACE PERFECTION



**INSPIRE
YOUR SPACES**
WITH REFINED LUXURY



LA 8040



LA 8041


Ultra **SOLID** ✨




ELINOR
PURE SURFACE PERFECTION



**FILL YOUR
HOME WITH**
ELEGANT INSPIRATION




LA 8035




LA 8038

Ultra **SOLID** ✨


HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8033





LA 8032



Ultra **SOLID** ✨

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8034

**Artful
Inspirations**

for Every surfaces




LA 8036

Ultra **SOLID** ✨



ELINOR
PURE SURFACE PERFECTION




LA 8037



Ultra SHIMMER


HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.




Ultra SHIMMER




ELINOR
PURE SURFACE PERFECTION



LA 8101 ♦



LA 8102 ♦




Ultra **SHIMMER** 

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.

**Elevating
Interiors with
Unique Artistic
Expressions**



LA 8105 ♦




LA 8103 ♦

Ultra SHIMMER



ELINOR
PURE SURFACE PERFECTION




LA 8104 ✦



Where Design
Meets Imagination

Ultra SHIMMER



**ADD TIMELESS
CHARM**
TO YOUR INTERIORS


HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8106 ♦



LA 8107 ♦



Ultra **SHIMMER** 




ELINOR
PURE SURFACE PERFECTION



LA 8108 ♦

**Elegance
That Redefines
Luxury Living.**



LA 8109 ♦

Ultra 

PEARL & METALLIC

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



Ultra
PEARL & METALLIC




ELINOR
PURE SURFACE PERFECTION



**CHARGE
YOUR SPACES**
WITH BOUNDLESS CREATIVITY



LA 8111 ♦




LA 8117 ♦



Building Distinction,

one layer at a time



LA 8110 ♦




LA 8116 ♦



LA 8113



LA 8113 ♦



LA 8112 

**Enliven
Your Spaces**


With Exquisite Creativity



LA 8115 

Ultra
PEARL & METALLIC


HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



• LA 8118

LA 8118 ♦

Ultra
PEARL & METALLIC



LA 8119 ♦



LA 8120 ♦

Ultra
PEARL & METALLIC

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



LA 8121 




LA 8114 

**ENRICH
YOUR SPACES**
WITH BOLD BEAUTY

Ultra 
MIRROR

HOMIFY ROOTS™
PANALS WITH ITALIAN FLAIR.



SA SILVER MIRROR



SA GOLD MIRROR



ULTRA MIRROR




ELINOR
PURE SURFACE PERFECTION




6h
ANTISCRATCH

Self
Adhesive



SA COPPER MIRROR



SA BRONZE MIRROR

1 mm x 23 mm

ELINEX EDGE BAND



EB 8001



EB 8002



EB 8003



EB 8004



EB 8005



EB 8009



EB 8010



EB 8011



EB 8012



EB 8013



EB 8017



EB 8018



EB 8019



EB 8020




EB 8021

1 mm x 23 mm

ELINEX EDGE BAND



EB 8006



EB 8007



EB 8008



EB 8025



EB 8026



EB 8014



EB 8015



EB 8016



EB 8033



EB 8034



EB 8022



EB 8023



EB 8024




EB 8041



EB 8042

1 mm x 23 mm

ELINEX EDGE BAND



EB 8027



EB 8028



EB 8029



EB 8030



EB 8031



EB 8035



EB 8036



EB 8037



EB 8038



EB 8039



EB 8043



EB 8044



EB 8045



EB 8101




EB 8102

1 mm x 23 mm

ELINEX EDGE BAND



EB 8032




EB 8104



EB 8105



EB 8106



EB 8107



EB 8040



EB 8110



EB 8111



EB 8112



EB 8113



EB 8103



EB 8116



EB 8117



EB 8118



EB 8119

1 mm x 23 mm

ELINEX EDGE BAND



EB 8108



EB 8109



EB 8114




EB 8115



EB 8120



EB 8121



APPLY

TOTALGRIP
XTREME PERFORMANCE BOND

BY



L A M I Q



900 gms

4.5 Kg

**MULTI
SURFACE
ADHESIVE**

		TEST REPORT		Ref. : 0000010000000000	
				Date : Aug 05, 2009 Page : 1 of 3	
CUSTOMER NAME: ADDRESS:		ORDER NUMBER: ANALYSTS:			
Sample Name:		RECEIVED BY (S):			
Please inform us and complete specimens submitted and confirmed by the client. SGS, Singapore assumes no responsibility for errors for accuracy, adequacy and completeness of the sample information provided by client.		ANALYSIS:			
SGS Ref. No.:		REFERENCE:			
Date of Receipt:		AN-05, 2009			
Issuing Date/Time:		Aug-10, 2009			
Issuing Date/Time:		Aug-05, 2009			
Test Results:		The below analysis, unless noted to the contrary, complies with: Customer reference standard, locally known as Test, but report other only to SGS conformity standard			
Signed by:					
Approved by:					
Printed Name: _____ Signature Agency: _____					
SGS Singapore 100 Robinson Road Singapore 068902 Tel: +65 6349 0300 Fax: +65 6349 0301 Email: info@sgs.com.sg Website: www.sgs.com.sg		SGS Singapore 100 Robinson Road Singapore 068902 Tel: +65 6349 0300 Fax: +65 6349 0301 Email: info@sgs.com.sg Website: www.sgs.com.sg			

[illegible][illegible]

	
TEST REPORT	
No. : 0400001010177001 Date : Aug 10, 2012 Page : 4 of 6	
	
After test	Two times up after test
	SGS is a registered trademark of the Swiss Group of Insurance Societies (SGS) and is used under license by SGS. The SGS logo is a registered trademark of the Swiss Group of Insurance Societies (SGS) and is used under license by SGS. The SGS logo is a registered trademark of the Swiss Group of Insurance Societies (SGS) and is used under license by SGS.

[illegible]

SGS

TEST REPORT

No.: 0420001010177961

Date: Aug 10, 2015

Page: 2 of 2

Test Photo

Reference: J47010

Left support

Reference: J47010

Right support

Equipment Information

Equipment	Model	Manufacturer	Installation date	Test Calibration date
3000 Automated Chauling Unit	3000-100	SGS/BSI-101	2008-10-20	2009-10-22
Horizontal Light Bar	SGS/BSI-100	SGS/BSI-100	2005-10-01	2009-10-22

The test report does not conform to EN ISO 9001:2008, Clause 8.6.

It is the policy of the People's Republic of China, the test report without SGS logo represents the test report and only be used for short-term reference. Issuing material quality control system-relevant and non-relevant test, and not for short-term reference.

Signature of signatory

0420001010177961 2015-08-10

FAQS

Reasons For Air Bubble On Acrylic Sheets



Acrylic are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface



Insufficient or lack of pressing during the bonding period of laminate



Use of extremely large acrylic sheets (more than 8 ft x 2ft long)

To Avoid The Inside **Cracks & Stretch Line** On acrylic sheets

**DO NOT STORE
ACRYLIC SHEET
IN ROLL FORM**



**PLEASE OPEN THE ROLL
IMMEDIATELY.
DO NOT PRESSURIZE WHILE
OPENING ROLL.**



*There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours Of the Acrylic sheet may vary from this brochure.

Acrylic sheet size:
2440 mm x 1220 mm

Thickness:
1.5 mm (+-10%)

Edgebanding size:
1 mm x 23 mm x 25 meters/roll



Recommended Adhesive For
ACRYLIC SHEETS

**MULTI
SURFACE
ADHESIVE**

To avoid delamination / air bubbles in between ply and laminate the above steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity

Disclaimer

The Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers to inspect products properly before installing. Product's warranty in no way covers defects and non-compliance from or otherwise attributable to any other causes, including, without limitation the following:

- Improper handling / transportation / storage of Elinor.
- Improper installation of Elinor.
- Improper or unintended usage of Elinor.
- Lack of or improper maintenance of Elinor.
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- Do not use plywood with high moisture content
- Do not use ply with uneven surface
- Apply sufficient pressure
- Avoid pasting of sheets on the printed/branding area of the Plywood
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ



ROYAL ROOTS™

PLY INDIA PVT LTD

HOMIFY ROOTS™

PANALS WITH ITALIAN FLAIR.

OUR PRODUCTS



**HOMIFY ROOTS™
PLY**



**HOMIFY ROOTS™
ACRYLIC**



**HOMIFY ROOTS™
LAMINATE**



**HOMIFY ROOTS™
LOUVERS**



**HOMIFY ROOTS™
VENNER**