









Milano Satvario LA 8505 🔷

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)










Size:

2440 mm x 1220 mm

Thickness:







Thickness:







Milano Beige LA 8509 🔷

Size:

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)













LA 8511 🔷


Size:

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)









Milano Slate LA 8513 🔷


Size:

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)







Firenze Slate LA 8514 🔷

Size:

2440 mm x 1220 mm

Thickness:









Milano Intenso LA 8515 +

Size:

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)



HOMIFY ROOTS





Firenze Intenso LA 8516 +

Size

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)



HOMIFY ROOTS



WHERE MILAN'S ARTISTRY MEETS MODERN DESIGN.

FROM MILAN'S HISTORIC STREETS TO ITS MODERN MASTERPIECES, MILANO TIMELESS MARBLE SURFACES CHANNEL THE SPIRIT OF ITALY'S MOST STYLISH CITY. EVERY SURFACE CAPTURES THE PERFECT BLEND OF TRADITION AND INNOVATION, CREATING A TIMELESS EXPRESSION OF BEAUTY.









Milano Sapphire LA 8517 🔷


Size:

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)









LA 8519

Size:


2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)







1.5 mm (+-10%)





1.5 mm (+-10%)





Rosa Verona LA 8523

Size:


2440 mm x 1220 mm

Thickness:









Thickness:

1.5 mm (+-10%)





Mocha Crema LA 8525

Size:


2440 mm x 1220 mm


Thickness:











Size:

2440 mm x 1220 mm

Thickness:











Reasons For **Air Bubble**On Acrylic Sheets



Acrylic are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface



Insufficient or lack of pressing during the bonding period of laminate



Use of extremely large acrylic sheets (more than 8 ft x 2ft long)

To Avoid The Inside Cracks & Stretch Line On acrylic sheets





MULTI SURFACE ADHESIVE Available in 900 GM and 4.5 KG

Recommended Adhesive For ACRYLIC SHEETS

*There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations.

Actual colours Of the Acrylic sheet may vary from this brochure.

Acrylic sheet size:

2440 mm x 1220 mm

Thickness:

1.5 mm (+-10%)

To avoid delamination / air bubbles in between ply and laminate the above steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity

Disclaimer

The Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers to inspect products properly before installing. Product's warranty in no way covers defects and non-compliance from or otherwise attributable to any other causes, including, without limitation the following:

- Improper handling / transportation / storage of Milano.
- Improper installation of Milano.
- Improper or unintended usage of Milano.
- Lack of or improper maintenance of Milano.
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- Do not use plywood with high moisture content
- Do not use ply with uneven surface
- Apply sufficient pressure
- Avoid pasting of sheets on the printed/branding area of the Plywood
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ



HOMIFY ROOTS[™]

PANALS WITH ITALIAN FLAIR.

OUR PRODUCTS







